

	Type	Hits	Search Text	DBs
1	BRS	2	"20020041415"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
2	IS&R	2	("20010017722").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
3	IS&R	620	(398/79).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
4	IS&R	137	(398/48).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
5	BRS	336	((398/79).CCLS.) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
6	BRS	81	((398/48).CCLS.) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
7	BRS	4	((((398/79).CCLS.) and @ad < "20000221") or ((398/48).CCLS.) and @ad < "20000221")) and onu and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	IS&R	9110	(398/\$3).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
9	BRS	6513	((398/\$3).CCLS.) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
10	BRS	32	((((398/\$3).CCLS.) and @ad < "20000221") and onu and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT;
11	BRS	818	adjustable adj2 sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
12	BRS	1	adjustable adj2 sensor adj2 parameter	USPAT; US-PGPUB; EPO; JPO; DERWENT;
13	BRS	8	(adjustable adj2 sensor) and (adjustable adj2 parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
14	BRS	1	((adjustable adj2 sensor) and (adjustable adj2 parameter)) and transmitter and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT;
15	BRS	1578	calibrate adj2 sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
16	BRS	50	((calibrate adj2 sensor) with parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
17	BRS	33	((((calibrate adj2 sensor) with parameter)) and @ad < "19991223"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
18	BRS	3	(((((calibrate adj2 sensor) with parameter)) and @ad < "19991223") and transmitter and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	1131	(calibrate adj2 sensor) and @ad < "19991223"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
20	BRS	83	((calibrate adj2 sensor) and @ad < "19991223") and transmitter and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT;
21	BRS	83	((((calibrate adj2 sensor) and @ad < "19991223") and transmitter and receiver) and @ad < "19991223"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	43	(((((calibrate adj2 sensor) and @ad < "19991223") and transmitter and receiver) and @ad < "19991223") and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	813	(parking with meter).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
24	IS&R	614	(340/932.2).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
25	BRS	0	((parking with meter).ab.) and I-pass	USPAT; US-PGPUB; EPO; JPO; DERWENT;
26	BRS	5	((parking with meter).ab.) and (toll adj2 road)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
27	BRS	682	(adjust\$3 near2 sensor) with (parameter or characteristic)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
28	BRS	814	(calibrat\$4 near2 sensor) with (parameter or characteristic)	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Time Stamp	Comments	Error Definition	Errors
1	2003/10/23 17:16			0
2	2003/10/10 15:57			0
3	2003/10/10 15:57			0
4	2003/10/10 15:57			0
5	2003/10/27 16:23			0
6	2003/10/10 16:00			0
7	2003/10/10 16:05			0
8	2003/10/10 16:04			0
9	2003/10/10 16:04			0
10	2003/10/10 16:05			0
11	2003/10/23 17:17			0
12	2003/10/27 11:30			0
13	2003/10/23 17:24			0
14	2003/10/23 17:31			0
15	2003/10/23 17:31			0
16	2003/10/23 17:31			0
17	2003/10/23 17:38			0
18	2003/10/23 17:38			0
19	2003/10/23 17:38			0
20	2003/10/23 17:38			0
21	2003/10/23 17:39			0
22	2003/10/27 11:29			0
23	2003/10/27 09:17			0
24	2003/10/27 10:28			0
25	2003/10/27 10:29			0
26	2003/10/27 10:30			0
27	2003/10/27 11:31			0
28	2003/10/27 11:31			0

	Type	Hits	Search Text	DBs
29	BRS	1474	((adjust\$3 near2 sensor) with (parameter or characteristic)) or ((calibrat\$4 near2 sensor) with (parameter or characteristic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	109	((((adjust\$3 near2 sensor) with (parameter or characteristic)) or ((calibrat\$4 near2 sensor) with (parameter or characteristic))) and (transmitter and receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	61	(((((adjust\$3 near2 sensor) with (parameter or characteristic)) or ((calibrat\$4 near2 sensor) with (parameter or characteristic))) and (transmitter and receiver)) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	(((((adjust\$3 near2 sensor) with (parameter or characteristic)) or ((calibrat\$4 near2 sensor) with (parameter or characteristic))) and (transmitter and receiver)) and @ad < "20000221") and (("5,423,867").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	IS&R	2	("5,423,867").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
34	IS&R	2	("5,292,341").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
35	BRS	0	((("5,292,341").PN.) and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT;
36	IS&R	235	(607/30).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
37	BRS	25	((607/30).CCLS.) and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT;
38	BRS	12	((((607/30).CCLS.) and optical) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
39	BRS	14	((((607/30).CCLS.) and optical) and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
40	BRS	12	(((((607/30).CCLS.) and optical) and @ad < "20000221") and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
41	BRS	6	(((((607/30).CCLS.) and optical) and @ad < "20000221") and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
42	BRS	6	between adj2 (transmitter near3 receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
43	BRS	156	infrared adj2 alarm	USPAT; US-PGPUB; EPO; JPO; DERWENT;
44	BRS	8602	motion adj2 detector	USPAT; US-PGPUB; EPO; JPO; DERWENT;
45	BRS	1686495	(motion adj2 detector) (optical or infrared)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
46	BRS	3067	(motion adj2 detector) and (optical or infrared)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
47	BRS	2	((motion adj2 detector) and (optical or infrared)) and ((adjust\$3 near2 sensor) with (parameter or characteristic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	0	event near2 between adj3 (transmitter near2 receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
49	BRS	5	event near2 between adj3 (transmitter near2 receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
50	BRS	2504	(conveyor adj2 belt) with sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
51	BRS	2	((conveyor adj2 belt) with sensor) and ((adjust\$3 near2 sensor) with (parameter or characteristic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	18562	sens\$3 adj2 movement	USPAT; US-PGPUB; EPO; JPO; DERWENT;
53	BRS	31	(sens\$3 adj2 movement) and ((adjust\$3 near2 sensor) with (parameter or characteristic))	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Time Stamp	Comments	Error Definition	Errors
29	2003/10/27 11:31			0
30	2003/10/27 11:31			0
31	2003/10/27 11:52			0
32	2003/10/27 11:48			0
33	2003/10/27 11:49			0
34	2003/10/27 11:50			0
35	2003/10/27 11:51			0
36	2003/10/27 11:51			0
37	2003/10/27 11:51			0
38	2003/10/27 11:54			0
39	2003/10/27 11:53			0
40	2003/10/27 13:40			0
41	2003/10/27 13:22			0
42	2003/10/27 13:26			0
43	2003/10/27 13:26			0
44	2003/10/27 13:26			0
45	2003/10/27 13:27			0
46	2003/10/27 13:27			0
47	2003/10/27 13:28			0
48	2003/10/27 13:29			0
49	2003/10/27 13:32			0
50	2003/10/27 13:33			0
51	2003/10/27 13:36			0
52	2003/10/27 13:36			0
53	2003/10/27 13:40			0

	Type	Hits	Search Text	DBs
54	BRS	895	remote with sens\$3 with adjust\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;
55	BRS	742	(remote with sens\$3 with adjust\$4) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
56	BRS	146	((remote with sens\$3 with adjust\$4) and @ad < "20000221") and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT;
57	BRS	392	remote with sens\$3 with calibrat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;
58	BRS	305	(remote with sens\$3 with calibrat\$4) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
59	BRS	100	((remote with sens\$3 with calibrat\$4) and @ad < "20000221") and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT;
60	BRS	7	((((remote with sens\$3 with adjust\$4) and @ad < "20000221") and optical) and ((remote with sens\$3 with calibrat\$4) and @ad < "20000221") and optical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	(sens\$3 near2 object ) adj2 between adj2 (transmitter adj2 receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
62	BRS	42972	(sens\$3 near3 object )	USPAT; US-PGPUB; EPO; JPO; DERWENT;
63	BRS	0	((sens\$3 near3 object )) with (between adj2 (transmitter adj2 receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
64	BRS	15	((sens\$3 near3 object )) with (between adj2 (transmitter adj2 receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT;
65	BRS	5	(anderson and ashford and klass).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
66	BRS	0	((anderson and ashford and klass).in.) and (calibrat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
67	BRS	22920	transmitter and receiver and (zone or area) and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT;
68	BRS	32	(transmitter and receiver and (zone or area) and optical) and ((adjust\$3 near2 sensor) with (parameter or characteristic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	15	((transmitter and receiver and (zone or area) and optical) and ((adjust\$3 near2 sensor) with (parameter or characteristic))) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	645	transmitter with (adjust\$3 or calibrat\$3) with sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
71	BRS	482	(transmitter with (adjust\$3 or calibrat\$3) with sensor) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
72	BRS	136	((transmitter with (adjust\$3 or calibrat\$3) with sensor) and @ad < "20000221") and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT;
73	BRS	818	adjustable adj2 sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
74	BRS	462	intelligent adj2 sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
75	BRS	1280	(adjustable adj2 sensor) or (intelligent adj2 sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
76	BRS	932	((adjustable adj2 sensor) or (intelligent adj2 sensor)) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;
77	BRS	248	((((adjustable adj2 sensor) or (intelligent adj2 sensor)) and @ad < "20000221") and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT;
78	BRS	42	(((((adjustable adj2 sensor) or (intelligent adj2 sensor)) and @ad < "20000221") and optical) and transmitter and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	87	remote with adjustable with sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
80	BRS	76	(remote with adjustable with sensor) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	Time Stamp	Comments	Error Definition	Errors
54	2003/10/27 13:41			0
55	2003/10/27 14:32			0
56	2003/10/27 13:42			0
57	2003/10/27 13:41			0
58	2003/10/27 13:42			0
59	2003/10/27 13:44			0
60	2003/10/27 13:55			0
61	2003/10/27 13:57			0
62	2003/10/27 13:56			0
63	2003/10/27 13:57			0
64	2003/10/27 14:28			0
65	2003/10/27 14:29			0
66	2003/10/27 14:30			0
67	2003/10/27 14:32			0
68	2003/10/27 14:32			0
69	2003/10/27 14:37			0
70	2003/10/27 14:37			0
71	2003/10/27 14:38			0
72	2003/10/27 16:22			0
73	2003/10/27 16:23			0
74	2003/10/27 16:23			0
75	2003/10/27 16:23			0
76	2003/10/27 17:04			0
77	2003/10/27 16:25			0
78	2003/10/27 16:42			0
79	2003/10/27 16:49			0
80	2003/10/27 16:44			0

	Type	Hits	Search Text	DBs
81	BRS	4	((remote with adjustable with sensor) and @ad < "20000221") and optical and transmitter and receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	11219	adjustable with sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
83	BRS	2403	adjustable near2 sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT;
84	BRS	16	remote with (adjustable near2 sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
85	BRS	6	(remote with (adjustable near2 sensor)) and (infrared or optical)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
86	BRS	18375	(adjust\$3 near3 sensor) or (adaptable near3 sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
87	BRS	12369	(adjust\$3 near2 sensor) or (adaptable near2 sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
88	BRS	182	((adjust\$3 near2 sensor) or (adaptable near2 sensor)) and ((adjust adj2 parameter\$1) or (adjust adj2 parameter\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	BRS	103	((((adjust\$3 near2 sensor) or (adaptable near2 sensor)) and ((adjust adj2 parameter\$1) or (adjust adj2 parameter\$1))) and @ad < "20000221"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	36	(((((adjust\$3 near2 sensor) or (adaptable near2 sensor)) and ((adjust adj2 parameter\$1) or (adjust adj2 parameter\$1))) and @ad < "20000221") and optical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	IS&R	18	((("5470155") or ("5511007") or ("6034521") or ("5499168") or ("5530548") or ("6311089") or ("6037721") or ("6177903") or ("4704607")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definitio</b>	<b>Errors</b>
81	2003/10/27 16:45			0
82	2003/10/27 16:49			0
83	2003/10/27 16:49			0
84	2003/10/27 16:56			0
85	2003/10/27 16:58			0
86	2003/10/27 17:00			0
87	2003/10/27 17:00			0
88	2003/10/27 17:04			0
89	2003/10/27 17:07			0
90	2003/10/27 17:31			0
91	2003/10/27 17:34			0